





### DS Series Photos

































# **CLASSIC**



The traditional styling and obvious vertical lines of the **CCO**-FICIENT™ Classic are ideal for custom-designed or traditional building construction, especially commercial and industrial applications. The exterior and interior skins have a stucco-embossed Mesa pattern.

#### Product Specifications

- · Applications: Wall
- Gauges:
- Exterior: 26, 24 and 22 | Interior: 26, 24 and 22
- Widths: 42"
- Thicknesses: 2", 21/2", 3", 4", 5" and 6"
- Length: Recommended maximum of 50'
- Panel Attachment: Concealed Fastening System
- Coatings: Galvanized/Galvalume Plus\*,
  Signature\* 200, Signature\* 300, Signature\* 300
  Metallic, Applied Finishes

### 2, 24, 3, 4, 5 oc

# **CCO-FICIENT**VINTAGE

The **eco**-ficient™ Vintage is a unique offering with our Aztec-embossed pattern on the exterior panel. This creates a look that resembles old-world hand plaster. The interior skin of the panel is stucco-embossed with our Mesa pattern.


#### Product Specifications

- · Applications: Wall
- Gauges:

2", 21/2", 3", 4"

- Exterior: 24 and 22 | Interior: 26, 24 and 22
- Widths: 36" and 42"
- Thicknesses: 2", 21/2", 3" and 4"
- . Length: Recommended maximum of 40'
- · Panel Attachment: Through Fastening System
- Coatings: Galvanized/Galvalume Pluse,
  Signaturee 200, Signaturee 300, Signaturee 300
  Metallic, Applied Finishes

# **CO-FICIENT** SUMMIT



The **eco**-Ficient a Summit wall panel is an excellent alternative to conventional flat wall construction. The exterior skin is profiled with minor striations, giving it a flat appearance and providing a linear look while blending with the panel side joints. The interior skin of this panel has a stucco-embossed Mesa pattern.

### Product Specifications

- · Applications: Wall
- Gauges:
- Exterior: 24" and 22 | Interior: 26, 24 and 22
- Widths: 36" and 42"
- Thicknesses: 2", 21/2", 3" and 4"
- · Length: Recommended maximum of 40'
- · Panel Attachment: Concealed Fastening System
- Coatings: Galvanized/Galvalume Plus\*,
  Signature\* 200, Signature\* 300, Signature\* 300
  Metallic, Applied Finishes